




MESH

Installation Guide



EGLA-TWIN 4253

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 51%

Gewicht
Weight
Poids
Peso


~ 6,0 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo



3,0 m

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh EglA-Twin 4253



LARGO-TWIST 2045

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 38%

Gewicht
Weight
Poids
Peso


~ 6,0 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo


3,0 m

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh Largo-Twist 2045



EGLA - DUO 4262

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 52%

Gewicht
Weight
Poids
Peso


~ 6,6 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo



3,0 m

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh Ecla-Duo 4262



MULTI-BARRETTE 8123

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 64%

Gewicht
Weight
Poids
Peso


~ 6,6 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo



4,0 m

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh Multi-Barrette 8123



LARGO-PLENUS 2022

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 25%

Gewicht
Weight
Poids
Peso


~ 8,1 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo



on
request

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh Largo-Plenus 2022



DOGLA-TRIO 1033

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 67%

Gewicht
Weight
Poids
Peso


~ 6,5 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo



3,0 m

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh Dogla-Trio 1033



DOKAWELL-MONO 3601

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 52%

Gewicht
Weight
Poids
Peso


~ 53 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo



3,0 m

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh Dokawell-Mono 3601



EGLA-MONO 5001

Offene Fläche
Open Area
Surface ouvert
Superficie abierta

~ 43%

Gewicht
Weight
Poids
Peso


~ 8,1 kg/m²

Max. Breite
Max. Width
Largeur max.
Ancho maximo



3,0 m

This drawing is for design reference only.
It is not to be used for construction
or any calculations.
All details must be reviewed and are
subject of structural proof.

This document, its contents and findings
constitute proprietary, confidential, restricted
and legally privileged information of
HAVER & BOECKER OHG and/or subsidiaries
© All rights reserved. No part of this document
may be reproduced in any form - by graphic,
electronic or mechanical
means including all types of photocopying or any
other means of duplication - without HAVER &
BOECKER OHG prior written consent.
The transmission of originals and reproductions
to third parties is prohibited without HAVER &
BOECKER OHG prior consent



HAVER architectural mesh Egla-Mono 5001





ALUMINUM FOAM


Installation Guide



MAIN STRUCTURAL SYSTEM AND **CONNECTING MATERIALS**



1: Direct fixed connection to the main frame system with screws or rivets





MAIN STRUCTURAL SYSTEM AND CONNECTING MATERIALS

2: Direct fixed connection to the frame system by direct screwing (same color screw)



MAIN STRUCTURAL SYSTEM AND CONNECTING MATERIALS

2: Direct fixed connection to the frame system by direct screwing (same color screw)





WWW.KNCFACADE.COM